

TAMAÑOS DE MOTOR DISPONIBLES PARA MOTOREDUCTORES

TIPO	i _n	TAMAÑO DE MOTOR					
		63		71		80	
		a	b	a	b	a	b
R1/40	2			•	•	•	•
	2,5			•	•	•	•
	3,15			•	•	•	•
	4			•	•	•	•
	5			•	•	•	•
R2/40	5	•	•	•	•	•	•
R1/40	6,3			•	•	•	•
R2/40	6,3	•	•	•	•	•	•
	8	•	•	•	•	•	•
	10	•	•	•	•	•	•
	12,5	•	•	•	•	•	•
	16	•	•	•	•	•	•
	20	•	•	•	•	•	•
	25	•	•	•	•	•	•
	31,5	•	•	•	•		
R3/40	31,5	•	•	•	•		
R2/40	40	•	•	•			
R3/40	40	•	•	•	•		
	50	•	•	•	•		
	63	•	•	•			
	80	•	•				
	100	•	•				
	125	•	•				
	160	•	•				
	200	•	•				
	250	•	•				

Tabla n.º 42

TIPO	i _n	TAMAÑO DE MOTOR							
		63		71		80		90	
		a	b	a	b	a	b	S	L
R1/50	2							•	•
	2,5							•	•
	3,15							•	•
	4						•	•	•
	5					•	•	•	•
R2/50	5							•	•
R1/50	6,3				•	•	•	•	•
R2/50	6,3						•	•	•
	8						•	•	•
	10					•	•	•	•
	12,5					•	•	•	•
	16				•	•	•	•	•
	20				•	•	•	•	•
	25			•	•	•	•	•	•
	31,5	•	•	•	•	•			
R3/50	31,5		•	•	•	•	•		
R2/50	40	•	•	•	•	•			
R3/50	40	•	•	•	•	•	•		
	50	•	•	•	•	•			
	63	•	•	•	•	•			
	80	•	•	•	•				
	100	•	•	•	•				
	125	•	•	•					
	160	•	•	•					
	200	•	•						
	250	•	•						

Tabla n.º 43

TIPO	i _n	TAMAÑO DE MOTOR											
		63		71		80		90		100		112	
		a	b	a	b	a	b	S	L	La	Lb	M	
R1/63	2										•	•	•
	2,5										•	•	•
	3,15										•	•	•
	4							•		•	•	•	•
	5							•	•	•	•	•	•
R2/63	5									•	•	•	
R1/63	6,3					•	•	•	•	•			
R2/63	6,3							•	•	•	•		
	8							•	•	•	•		
	10						•		•	•	•	•	
	12,5					•	•	•	•	•	•	•	
	16					•	•	•	•	•	•	•	
	20					•	•	•	•	•	•		
	25					•	•	•	•	•	•		
	31,5		•	•	•	•	•	•					
R3/63	31,5				•	•	•	•					
R2/63	40			•	•	•	•	•					
R3/63	40			•	•	•	•	•					
	50			•	•	•	•	•	•				
	63			•	•	•	•	•					
	80		•	•	•	•	•						
	100		•	•	•	•	•						
	125	•	•	•	•	•							
	160	•	•	•	•								
	200	•	•	•									
	250	•	•										

Tabla n.º 44

TIPO	i _n	TAMAÑO DE MOTOR												
		71		80		90		100		112	132			
		a	b	a	b	S	L	La	Lb	M	Sa	Ma	Mb	
R1/80	2											•	•	•
	2,5											•	•	•
	3,15											•	•	•
	4									•	•	•	•	•
	5									•	•	•	•	•
R2/80	5											•	•	•
R1/80	6,3							•	•	•	•	•	•	
R2/80	6,3											•	•	•
	8										•	•	•	•
	10									•	•	•	•	•
	12,5									•	•	•	•	•
	16									•	•	•	•	•
	20									•	•	•	•	
	25								•	•	•	•	•	
	31,5			•	•	•	•	•						
R3/80	31,5							•	•	•	•	•		
R2/80	40			•	•	•	•	•						
R3/80	40			•	•	•	•	•	•					
	50			•	•	•	•	•						
	63			•	•	•	•	•	•					
	80		•	•	•	•	•							
	100		•	•	•	•	•							
	125	•	•	•	•	•								
	160	•	•	•	•									
	200	•	•	•										
250	•	•												

Tabla n.º 45

TAMAÑOS DE MOTOR DISPONIBLES PARA MOTOREDUCTORES

TIPO	i _n	TAMAÑO DE MOTOR														
		80		90		100		112	132			160		180		
		a	b	S	L	La	Lb	M	Sa	Ma	Mb	M	L	M	L	
R1/100	2												•	•	•	•
	2,5												•	•	•	•
	3,15										•		•	•	•	•
	4									•	•	•	•	•	•	•
	5								•	•	•	•	•	•	•	•
R2/100	5												•	•	•	•
R1/100	6,3						•	•	•	•	•	•	•	•	•	•
R2/100	6,3									•	•	•	•	•	•	•
	8									•	•	•	•	•	•	•
	10									•	•	•	•	•	•	•
	12,5							•	•	•	•	•	•	•	•	•
	16						•	•	•	•	•	•	•	•	•	•
	20						•	•	•	•	•	•	•	•	•	•
	25					•	•	•	•	•	•	•	•	•	•	•
	31,5					•	•	•	•	•	•	•	•	•	•	•
R3/100	31,5					•	•	•	•	•	•	•	•	•	•	•
R2/100	40					•	•	•	•	•	•	•	•	•	•	•
R3/100	40				•	•	•	•	•	•	•	•	•	•	•	•
	50				•	•	•	•	•	•	•	•	•	•	•	•
	63				•	•	•	•	•	•	•	•	•	•	•	•
	80				•	•	•	•	•	•	•	•	•	•	•	•
	100	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	125	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	160	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	200	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	250	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

Tabla n.º 46

TIPO	i _n	TAMAÑO DE MOTOR																
		80		90		100		112	132			160		180		200		
		a	b	S	L	La	Lb	M	Sa	Ma	Mb	M	L	M	L	L		
R1/125	2																•	
	2,5																•	•
	3,15															•	•	•
	4															•	•	•
	5															•	•	•
R2/125	5																•	•
R1/125	6,3																•	•
R2/125	6,3																•	•
	8																•	•
	10																•	•
	12,5																•	•
	16																•	•
	20																•	•
	25																•	•
	31,5																•	•
R3/125	31,5																•	•
R2/125	40																•	•
R3/125	40																	•
	50																	•
	63																	•
	80																	•
	100																	•
	125																	•
	160																	•
	200																	•
	250																	•

Tabla n.º 47